

GAC2500 Firmware Release Note

Table of Content

FIRMWARE VERSION 1.0.1.40	2
PRODUCT NAME.....	2
DATE	2
CHANGES SINCE FIRMWARE VERSION 1.0.1.34.....	2
<i>ENHANCEMENT</i>	2
<i>BUG FIX</i>	2
FIRMWARE VERSION 1.0.1.34	3
PRODUCT NAME.....	3
DATE	3
CHANGES SINCE FIRMWARE VERSION 1.0.1.31.....	3
<i>ENHANCEMENT</i>	3
<i>BUG FIX</i>	3
FIRMWARE VERSION 1.0.1.31	5
PRODUCT NAME.....	5
DATE	5
CHANGES SINCE FIRMWARE VERSION 1.0.1.26.....	5
<i>ENHANCEMENT</i>	5
<i>BUG FIX</i>	5
FIRMWARE VERSION 1.0.1.26	7
PRODUCT NAME.....	7
DATE	7
CHANGES SINCE FIRMWARE VERSION 1.0.1.18.....	7
<i>ENHANCEMENT</i>	7
<i>BUG FIX</i>	7

FIRMWARE VERSION 1.0.1.40

PRODUCT NAME

GAC2500

DATE

05/18/2016

CHANGES SINCE FIRMWARE VERSION 1.0.1.34

ENHANCEMENT

- Update rescue, speed up upgrade speed.

BUG FIX

- Fixed DUT selects a custom ringtone which is stored in USB from LCD for a specific contact, does not change back to system ringtone when the USB is disconnected.
- Fixed DUT does not give prompt when dialing number does not match dial plan on web UI.
- Fixed DUT repeatedly plays notification tone after upgrading.
- Fixed DUT cannot end Skype call.
- Fixed DUT displays wrong information when using feature code *17.
- Fixed DUT displays mute/block for multicast lines on web UI which is different from LCD.
- Fixed DUT download status disappears when sliding right twice when downloading apps in GS Markets.
- Added Guest Login option under Advanced Settings -> General Settings must reboot to take effect.
- Fixed DUT holds a participant in a conference, then mutes itself but does not change mute status.
- Fixed DUT enters MPK and then cannot return to talking interface after locking screen.
- Fixed DUT cannot update immediately after contact number is changed.
- Fixed DUT dialplan does not work on matching specific numbers.
- Hided 'Virtual Account Group' setting since not fulfill at current time.
- Removed IPv6 setting since not fulfill at this version.
- Fixed DUT does not send request to FW server after receiving server address carried in option 66.
- Fixed sometimes audio echo issue.

FIRMWARE VERSION 1.0.1.34

PRODUCT NAME

GAC2500

DATE

03/28/2016

CHANGES SINCE FIRMWARE VERSION 1.0.1.31

ENHANCEMENT

- Updated tool tips style in web UI
- Updated layout of MPK app and MPK widget on LCD
- Added a quick access softkey to MPK (Hotkeys) app below the SIP accounts in dial pad
- Moved some apps into Tool Folder directory by default
- Added Contacts access softkey in MPK app
- Added Icon on notification bar when PNP is enabled
- Added Option to add a contact to MPK speed dial in Contacts app. Here is the step to use it:
 1. Open Contacts app, select a contact.
 2. Select a number in the contact.
 3. On the upper right, press “Send” icon and check “Send to Speed Dial (Hotkey)”.
 4. In MPK app, there would be an icon created for the contact speed dial.
- Updated the videos in Tips app according to new firmware’s UI and features
- Added Group Call feature in MPK. Here is the step to use it:
 1. On LCD, open MPK app and enter the adding MPK page by tapping the icon on the upper right.
 2. Select “Group Call” in the key mode.
 3. Fill in the Group name, and check “Mute all” if you want to have participants muted when entering the conference call.
 4. In the account list below, users can add up to 6 accounts by filling the numbers, names and selecting a registered account;
 5. Users can also edit this MPK in web UI->Advanced->MPK LCD Settings->Key Mode: Group Call.

BUG FIX

- Fixed DUT does not override the ACS URL under TR-069 if there is one in DHCP Option 53
- Fixed DUT does not display transferee but transferer info after transferer performs attended transfer
- Fixed DUT set “Mute All” or “Block All” in a conference but does not take effect on newly added attendees
- Fixed DUT does not have prompt when attended transferring to a user while the user is calling DUT
- Fixed DUT can’t be provisioned successfully for the first time after factory reset

- Fixed DUT cannot search Wi-Fi when set to some country code
- Fixed DUT web UI will display single call interface first when calling multiple numbers
- Fixed LCD lock icon would disappear after resuming a SRTP call on hold
- Fixed USB cascade mode would make DUT display Chinese incorrectly
- Fixed DUT fails to transfer a number with filtered characters from web UI
- Fixed DUT password input from locked screen overlaps notification bar
- Fixed The renamed paired Bluetooth device on DUT had the name changed back automatically after DUT searches for devices again
- Fixed DUT "Show account name only" does not apply on some accounts settings
- Fixed Mute All/Block All buttons do not work when some member is on hold in a conference
- Fixed DUT does not send LLDP package after power cycle
- Fixed DUT converts a folder into a file before deleting it
- Fixed Lync talking via BT headset does not take effect

FIRMWARE VERSION 1.0.1.31

PRODUCT NAME

GAC2500

DATE

03/04/2016

CHANGES SINCE FIRMWARE VERSION 1.0.1.26

ENHANCEMENT

- Added option to hold individual participant in conference call
 1. During a conference call, tap the participant icon to display 5 softkeys.
 2. Select the middle softkey to hold the participant.
 3. Tap on the participant icon and then select the left softkey to resume.
- Added ability to download audio recording from web UI
 1. During a call, tap on “Start recording” to start recording the call, then tap on “Stop recording” to stop recording. Or create a recording via Recorder app on GAC2500.
 2. Go to GAC2500 web UI->Maintenance->Recording page to download the file.
- Improved provisioning when GAC2500 is provisioned with Broadsoft server

BUG FIX

- Fixed DUT should not be allowed to schedule a conference if no account is registered
- Fixed Firmware error message in notification bar is not fully displayed
- Fixed The number selected from call history cannot be added to blacklist
- Fixed Error pops up when quickly tapping on “Enable password” in Recorder app
- Fixed DUT fails in downloading recordings that was renamed from wen UI
- Fixed Synchronization issues on slave DUT with master DUT
- Fixed Slave DUT can input feature code bypassing master DUT
- Fixed Slave DUT displays white screen in calling when master DUT is connected to GVC via Bluetooth
- Fixed DUT calling interface does not display name on status bar if the number is from LDAP
- Fixed DUT does not display conference interface in multicast paging when Conference server is enabled
- Fixed DUT goes to different page after ending an incoming call during a conference
- Fixed DUT account registered on UCM has a wrong option under More in calling page when answering an incoming call during a conference
- Disabled mute icon when the conference is hold
- Fixed DUT displays wrong member info in conference after failure to transfer it to others
- Fixed DUT does not display “unhold” after pressing “hold” in a conference with unknown number

- Fixed Some cascade mode asynchrony issues
- Fixed DUT backup restore process freezes on LCD during a call
- Fixed DUT does not disable “More” option in calling page when receiving remote ringtone
- Fixed DUT calls crashes when pressing home key in an attended transfer call

FIRMWARE VERSION 1.0.1.26

PRODUCT NAME

GAC2500

DATE

01/15/2015

CHANGES SINCE FIRMWARE VERSION 1.0.1.18

ENHANCEMENT

- Added option “Show account name only” in SIP account settings
- Added option “Tel URI” in SIP account settings
- Improved LCD display when the user name is too long
- Improved web UI display for certain icons and options
- Added feature to not allow new call when the phone is transferring a call
- Added option to enable navigation bar arrow under LCD menu->Settings ->Display
- Added option to select large room or small room under web UI->Advanced->Call features for the user to achieve better audio effect in different room sizes
- Added recording management page in web UI
- Added progress dialog display on LCD when switching to Bluetooth mode
- Added ability to add caller to conference when the phone is ringing
- Cleared missed call notification in idle screen after user enters the Call History
- Moved “Wireless & Network settings” under “Advanced settings” in LCD menu->Settings
- Moved Bluetooth settings from “Wireless & networks settings” to “Settings” in LCD menu->Settings

BUG FIX

- Fixed Music will be paused if connecting BT headset when playing music
- Fixed DUT should not allow deleting soft key when AUX3.5mm is used
- Fixed Registered account disappears on the widget after cancelling reboot on LCD
- Fixed Hands-free dialing delay for Bluetooth account
- Fixed Abnormal LCD display after ending the call
- Fixed DUT does not display contact name after call transfer is rejected
- Fixed Error is prompted in MPK call transfer process
- Fixed DUT display is incorrect after using MPK multicasting in a call and then ending it
- Fixed DUT can manually start the scheduled conference when there is already a conference in progress
- Fixed DUT cannot obtain customized file
- Fixed The conference reminder shows up after the conference begins

- Fixed Audio from DUT has delay after resuming the call on hold
- Fixed DUT needs re-enter the menu to see text to speech example change
- Fixed Web UI option “Replace by Name” doesn’t take effect when downloading contacts
- Fixed DUT will automatically change language after connecting to Wi-Fi by manually entering SSID and password
- Fixed DUT does not have ringback tone after transferring the call using attended transferred and the remote 3rd party is ringing
- Fixed some LDAP configuration issues
- Fixed some LCD display issues during conference
- Fixed LCD and web UI call status is not synchronized during operations such as adding contacts, recording, deleting participant during conference and etc
- Fixed DUT can add multicast listening without filling in IP address
- Fixed In web UI->Account->Call settings, Call Forward time interval format error prompt is not specific
- Fixed After DUT uses 3.5mm AUX to connect to a cellphone, the cellphone acts as a member in the conference but it can be deleted
- Fixed DUT connected with a Bluetooth headset has a delay when dialing number
- Fixed DUT will change hardware version when recovering a backup obtained from a different hardware version device