

Grandstream Networks, Inc. GRP26XX Carrier-Grade IP Phones VPK (Virtual Multi-Purpose Keys) Guide





Table of Contents

SUPPORTED DEVICES	4
INTRODUCTION	5
FIXED AND DYNAMIC VPK	6
Fixed VPK	6
Dynamic VPK	
Fixed/Dynamic VPK per Phone Model	6
VPK CONFIGURATION	7
VPK MODES AND INDICATION FOR GRP26XX	10
SCREEN EXAMPLES FOR GRP2613	15





Table of Figures

Figure 1: VPK Pages	. 5
Figure 2: Virtual Multi-Purpose Keys page	7
Figure 3: Fixed VPK – Edit	. 8
Figure 4: Add VPK	. 8
Figure 5: Dynamic VPK	.9
Figure 6: Screen Example - Page 1	15
Figure 7: Screen Example - Page 2	15

Table of Tables

Table 1: Grandstream products supporting VPK feature	4
Table 2: Fixed/Dynamic VPK per Phone Model for GRP26xx	6
Table 3: VPK Modes and Indications for the GRP26xx	10





SUPPORTED DEVICES

Following table shows Grandstream products supporting VPK feature:

Table 1: Grandstream products supporting VPK feature

Model	Supported	Firmware
	Carrier-Grade IP Phones GRP26XX Series	
GRP2612/GRP2612P/GRP2612W	Yes	1.0.0.31 or higher
GRP2613	Yes	1.0.0.31 or higher
GRP2614	Yes	1.0.0.31 or higher





INTRODUCTION

Grandstream GRP26XX Carrier-Grade IP phones support the VPK ("Virtual Multi-Purpose Keys") feature to add more flexibility and provide better user experience using Multi-Purpose Keys modes.

With the VPK feature design, line keys can be assigned with multiple functions. Users have also the ability to add more VPKs which will be displayed on different screens. The screens are dynamically added to match the extra VPKs, and incrementally indexed on the top of the main screen (1 to 4) until reaching the maximum number of supported VPKs.

Using VPK, users will be able to monitor extensions, use speed dial numbers, send DTMF during calls and more from their phone screens directly; switching between screens will show configured VPK and bring more flexibility to user's experience.

If using standard MPK on a GRP2613 IP phone, for instance, which supports 6 line keys, customers can use 1 LINE key for the main SIP accounts and the 5 others (not including built-in MPKs) can be used for monitoring/speed dial or any other available features using that account. While using VPK feature on the same GRP2613, customers can configure the same LINE key with up to 4 features virtually mapped on different screens, as an example, Line 1 key can be configured as LINE on the first screen, Speed Dial on screen 2, BLF on screen 3 and Call Park on screen 4.



Below screenshot shows the 3rd screen page of the GRP2613.

Figure 1: VPK Pages





FIXED AND DYNAMIC VPK

Fixed VPK

Fixed VPKs are the hard line keys on each phone model; their default mode is "Line" and support all other modes (BLF, Speed Dial...).

Each phone model has a specific number of hard line keys limiting the number of supported Fixed VPK. For instance, GRP2613 has 6 Line keys allowing to support 6 Fixed VPKs

Dynamic VPK

Dynamic VPK are virtual keys that can be added by users.

Each phone model has a specific number of allowed Dynamic VPK, depending on number of hard line keys and screens. For instance, GRP2613 has 6 hard keys, number of supported VPKs (Fixed and Dynamic) is 24 VPK = 6 (Fixed VPK) x 4 (screens), available Dynamic VPKs is 18 VPK = 24 VPK - 6 hard keys. The screens are dynamically added to match the extra VPKs, and incrementally indexed on the top of the main screen (1 to 4) until reaching the maximum number of supported VPKs.

Note: Dynamic VPKs support all available modes (BLF, Speed Dial, Call Park, transfer...) except **LINE**, **Shared Line** and **NONE** modes.

Fixed/Dynamic VPK per Phone Model

The table below shows how many Fixed/Dynamic VPKs each GRP model support.

	GRP2612/ GRP2612P/GRP2612W	GRP2613	GRP2614
Fixed VPK	4	6	4
Dynamic VPK	12	18	12
Total VPK	16	24	16

Table 2: Fixed/Dynamic VPK per Phone Model for GRP26xx

Note: Even if a fixed VPK has mode set to "None", the number of allowed Dynamic VPKs will not change.





VPK CONFIGURATION

To configure/add/edit or delete VPK, follow below steps:

- 1. Access Web GUI of GRP phone.
- 2. Go to Settings \rightarrow Programmable Keys \rightarrow Virtual Multi-Purpose Keys.

Broadsoft	÷							
External Service		Order	Mode	Account	Description	Value	Locked	
Call Features		1	Default	1				Edit VPF
Multicast Paging		2	Default	2				Edit VPF
Outbound	÷	3	Default	3				Edit VPF
Notification Preferences	42	4	None	1				Edit VPF
Programmable	_	5	None	1				Edit VPF
Keys		6	None	1				Edit VPF
Virtual Multi- Purpose Keys Settings		Add VPK R	eset Save VPK					

Figure 2: Virtual Multi-Purpose Keys page

- 3. Configure Fixed or Dynamic VPKs as follow:
 - a. Fixed VPK:
 - Press Edit VPK button
 - Select mode to use from **Mode** dropdown list.
 - Select Account# from Accounts dropdown list.
 - Enter a description text in **Description** field (optional).
 - Enter the value sequence for each mode in Value field if required.
 - Press **Save** button to save your configuration (**Reset** button allows to reset all fields to default values).
 - Press Save VPK to apply changes to VPK.

Note: Fixed VPKs can only be edited. Adding or deleting Fixed VPK is not allowed.





Settings	Virtual I	Multi-Purpose	e Keys	S				
General Settings			-					
Broadsoft 🕀	Order	Mode	Account	Description	-	Value	Locked	
External Service	Order	Mode	Account	Description	_	value	LOCKED	
Call Features	1	Default	1					Edit VPK
Multicast Paging	2	Edit VPK				Le		Edit VPK
Outbound 🕁	3		_		_	-0		Edit VPK
Preferences SP	4	M	ode Defa		•			Edit VPK
Programmable -	5	Accou	ints Non Defa		Â			Edit VPK
Keys	6	Descript						Edit VPK
Virtual Multi-		Va		ed Dial y Lamp Field (BLF)				Edit VPK
Purpose Keys	Add VPK	Loc		sence Watcher				
Settings		LOCI	Ever	ntlist BLF				
Virtual Multi-				ed Dial via Active Account				
Purpose Keys				DTMF				
				e Mail Return				
Softkeys Settings			Tran					
Sourceys Settings				Park				
1.0.5			Mor	nitored Call Park				
Idle Screen Softkeys			Inte	rcom				
Dorekeys				P Search				
Call Screen				ference				
Softkeys				ticast Paging				
			Reco					
			Call	LOB	*			

Figure 3: Fixed VPK – Edit

Example:

Customer's GRP2613 has a SIP account registered on Account 1 and needs to monitor extension 1000.

Below values needs to be used:

- Mode: Busy Lamp Field (BLF)
- Accounts: Account 1 (selected)
- **Description:** BLF_1000 (optional)
- Value: 1000

b. Dynamic VPK

• Press Add VPK to create a new Dynamic VPK.

	Add VPK		Lø
	Mode Accounts	Speed Dial	
V	Description	Account 1 V	
	Value		
		Save Reset	

Figure 4: Add VPK





- Select mode to use from Mode dropdown list.
- Select Account# from Accounts dropdown list.
- Enter a description text in **Description** field (optional).
- Enter the value sequence for each mode in Value field if required.
- Press Save button to save your configuration (Reset button allows to reset the VPK to default value).
- Press Save VPK to apply changes to VPK.

Note: Once added and saved, **Edit VPK** and **Delete VPK** buttons will appear. Customers can press **Edit VPK** button to edit or **Delete VPK** to remove selected VPK.

Settings General Settings	Virtual	Multi-Purpos	se Key	ys				
Broadsoft 순	Order	Mode	Acco	ount Description		Value	Locked	
External Service		Default		· · ·	-			E dia voir
Call Features	1	Detault	1					Edit VPK
Multicast Paging	2	Default	2					Edit VPK
Outbound 🕂	3	Default	3					Edit VPK
Preferences 🕁	4	None	1		_			Edit VPK
Programmable 😑	5	Add VPK				Lø		Edit VPK
Keys	6		Mode		_			Edit VPK
Virtual Multi- Purpose Keys	7			Speed Dial	•			Edit VPK
Settings	8	Ac	.counts	Busy Lamp Field (BLF)				E dita vicul
	8	Desc		Presence Watcher				Edit VPK
Virtual Multi- Purpose Keys	9		Malua	Eventlist BLF				Edit VPK
Purpose Keys	10			Speed Dial via Active Account Dial DTMF				Edit VPK
Softkeys	11			Voice Mail				Edit VPK
Settings				Call Return Transfer	lle.			
	12	Presence Watche	r 1	Call Park		1004		Edit VPK
Idle Screen Softkeys	13	Busy Lamp Field ((Monitored Call Park		1023		Edit VPK
Johneys	14	Speed Dial		Intercom LDAP Search		1130		Edit VPK
Call Screen Softkeys	15	Menu	1	Conference Multicast Paging				Edit VPK
	16	XML Application	1	Record				Edit VPK
Web Service	17	Transfer		Call Log Menu		2301		Edit VPK
XML Applications		Reset Save VPK		XML Application Information	•			Luic VIII

Figure 5: Dynamic VPK

Example:

Customer's GRP2613 has a SIP account registered on Account 1 and wants to add a Speed Dial for extension 1001.

Below values needs to be used:

- Mode: Speed Dial
- Accounts: Account 1 (selected)
- **Description:** SP_1001 (optional)
- Value: 1001





VPK MODES AND INDICATION FOR GRP26XX

Fixed VPK support all available modes (32 modes), while Dynamic VPK doesn't support **Default, Shared** and **None** modes (30 modes). The following table provides a description of each mode as well as state, icon, and LED status.

VPK Mode	Description	State	lcon	LED Status
Speed Dial	Speed Dial mode allows to set a key for one touch dialing; configured number will be dialed once VPK is pressed.	Account Unregistered	4	OFF
	Select the Account to dial from and enter the Speed Dial number to be dialed in the Value field or enter the IP address to set the Direct IP call as Speed Dial.	Account Registered	4	ON
Busy Lamp Field (BLF)	Busy Lamp Field (BLF) mode allows to monitor status (available, ringing, busy) of an extension.	Offline, Unknown	20	OFF
	Select the Account to monitor the BLF status. Enter the	Terminated	2	GREEN
	extension number in the Value field to be monitored.	Ringing (Early)	A	Flashing RED
		Trying	Re	Flashing RED
		Confirmed	Re	RED
Speed Dial Via Active Account	Speed Dial via active account mode allows to set a key for one touch dialing; configured number will be dialed once VPK is pressed using specified account if available, otherwise, first available account will be used to dial out.	No state changes	۲	OFF
	Select the Account to dial from and enter the Speed Dial number to be dialed in the Value field or enter the IP address to set the Direct IP call as Speed Dial.			
Dial DTMF	Dial DTMF allows customers to send digits while in communication, for instance, when dialing to an IVR, users can set Dial DTMF Key to send digits to the IVR.	No state changes	۷	OFF
	Enter a series of DTMF digits in the Value field to be dialed during the call.			
Voice Mail	Allows access to user's voice mail by pressing configured VPK.	Account not registered	çeo	OFF
	Select Account and enter the Voice Mail access number in the Value field.	Account Registered (No new voice mail)	ço	OFF
		Account Registered (voice mail available)	p	OFF

Table 3: VPK Modes and Indications for the GRP26xx





Call Return	Allows users to dial last answered call by pressing configured VPK.			
	The Value field should be left blank.	No state changes		OFF
	This option is not binding to the account and the call will be returned based on the account with the last answered call.	Ŭ	8	
Transfer	Allows to set a destination number to transfer calls to it (blind transfer) by pressing configured VPK.	Account Unregistered	••	OFF
	Select Account , and enter the number in the Value field to be transferred during the call.	Account Registered	•	OFF
Call Park	This feature allows to park/pick up the call, and can be also used to monitor parking lots via VPK button's LED.	Account Unregistered	V.	OFF
	Select Account , and enter the call park extension in the Value field to park/pick up the call.			
	Notes:			
	• If Value field has leading star code like *xx , the phone will not send SUBSCRIBE to the server, and VPK will be used to only park/retrieve calls;	Account Registered	لا	OFF
	 If Value field is set with parking lots (for example: 701, 702), VPK will be used as Monitored Call Park; the phone will send SUBSCRIBE to monitor configured parking lots and park/retrieve calls. 			
Intercom	Allows to set a VPK as intercom button to a specific destination with auto-answer instruction.	Account Unregistered	a	OFF
	When the call is initiated, SIP INVITE sent towards destination extension (via SIP server) will include Alert-info header with Auto-answer=0 parameter.	Account Registered	a	OFF
	Select Account , and enter the extension number in the Value field to do the intercom.			
LDAP Search	 This option is to narrow the LDAP search scope. Enter the LDAP search base in the Description field. It could be the same or different from the Base in LDAP configuration under Advanced Settings. The Base in LDAP configuration will be used if the Description field is left blank. 			
	• Enter the LDAP Name/Number filter in the Value field.	No State		OFF
	<u>For example:</u> If users set VPK as "LDAP Search" for "Account 1", and set filters: Description ->			
	ou=video,ou=SZ,dc=grandstream,dc=com Value -> sn=Li			





	Since the Base for LDAP server configuration is "dc=grandstream,dc=com", "ou=video,ou=SZ" is added to narrow the LDAP search scope. "sn=Li" is the example to filter the last name.			
Multicast Paging	Multicast paging is a feature that allows the user to make calls to a group of phones listening to the same Paging IP address.			
	Multicast paging calls will be automatically answered on listening phones and conversation will be in one-way audio path (originator can speak, while listening phones will be able to hear only).	No State	96	OFF
	Enter Line key description in Description field and multicast sending address in Value field.			
Record	Allows users to record ongoing calls. Recording needs to be supported on the server to use this feature.	Idle		OFF
		Recording	\bigcirc	OFF
Call Log	This Key is a shortcut to Call History.	No state	<u> </u>	OFF
Menu	This Key is a shortcut to the Menu button.	No state		OFF
Information	Select this feature in order to display the Information popup to show the firmware version, MAC address, IP address and IP Settings from the MPK buttons.	No state	0	OFF
Presence Watcher	Presence watcher allows to monitor presence / registration status of an extension. this feature needs to be supported by SIP server to use it.	Offline, Unknown	20	OFF
	Select the Account to monitor the presence status. Enter the extension number in the Value field to be monitored.	Available	1	GREEN
Monitored Call Park	This feature allows to park/pick up the call, and monitor the parked call via VPK button's LED.	Offline, Unknown	٧.	OFF
	Select account from Account field, and enter the call park extension in the Value field.	Available	2	GREEN
	Note: The phone sends SUBSCRIBE to the server to retrieve status of monitored parking lot.	Call Parked	لا	Flashing RED
Eventlist BLF	Eventlist BLF allows to monitor a list of extension similar to BLF, administrator needs to configure Eventlist BLF	Offline, Unknown	20	OFF
	on server side and provide Eventlist BLF URI on the phone.	Terminated	2	GREEN
	Select the Account to monitor the Eventlist BLF status.	Ringing (Early)	2	Flashing RED
	Enter the extension number in the Value field to be monitored and make sure to specify " Eventlist BLF URI "	Trying	Re	Flashing RED
	(Account X \rightarrow SIP Settings \rightarrow Advanced Features).	Confirmed	Re	RED





Default	Regular line key to open up a line and switch line. The Description and Value fields can be left blank.	Unregistered (No IM, Voice mail, No Call Forward)	×	OFF
	Note: Default mode is supported on Fixed VPK only.	Registered + Idle (No IM, Voice mail, No Call Forward)		OFF
		Registered + IM + Voice mail	- 2	OFF
		Registered + Voice Mail (No IM)	-	OFF
		Unregistered + Call Forward All (No IM, No Voice Mail)	X	OFF
		Registered + Call Forward All (No IM, No Voice Mail)	٩.,	OFF
		Unregistered + Call Forward Delay + Call Forward Busy (No IM, No Voice Mail)	X	OFF
		Registered + Call Forward Delay + Call Forward Busy (No IM, No Voice Mail)		OFF
		Unregistered + Call Forward Delay (No IM, No Voice Mail, No Call Forward Busy)	X	OFF
		Registered + Call Forward Delay (No IM, No Voice Mail, No Call Forward Busy)		OFF
		Unregistered + Call Forward Busy (No IM, No Voice Mail, No Call Forward Delay)	X	OFF
		Registered + Call Forward Busy (No IM, No Voice Mail, No Call	ς.	OFF






		Forward Delay)		
		Registered + Ringing	٩.,	Flashing RED
		Registered + On Hold	2	Flashing GREEN
		Registered + Connected + Incoming Call	4	GREEN
		Registered + Connected + Outgoing Call	L.	GREEN
Shared Line	 Share line for Shared Line Appearance feature. Select the Account registered as Shared line for the line key. The Description and Value fields can be left blank. Note: You may refer to this guide for more detail about Shared Line configuration: <u>BS_SCA_conf_Guide</u> 	Unregistered	2	OFF
		Registered + Idle	~	OFF





SCREEN EXAMPLES FOR GRP2613



The following screenshots show the GRP2613 screen's first two pages:





Figure 7: Screen Example - Page 2

