



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA133922

Product Info

Date of Certification January 8, 2025

Company Grandstream Networks, Inc.

Product Name Dual-band Wi-Fi 7 Access Point

Product Model Variant GWN7670

Model Number GWN7670

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Network management WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2024-10

WPA™-Enterprise WPA™-Personal

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA133922



Role: Access Point	Page 2 of 4		
Wi-Fi Components Wi-Fi Component Operating System linux 5.4.213 Wi-Fi Component Firmware 0.10.31.2(init)	RF Architecture Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz 5 GHz	2 2	2 2
Certifications			
2.4 GHz Spectrum Capabilities	WMM®		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	WPA2™-Enterprise 2018-04 EAP methods		
5 GHz Spectrum Capabilities	AND A CIM David and	0004.04	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA3™-Personal WPA3™-Enterpris EAP methods 192-bit security		
Passpoint® Release 3	WE ASTU D		
Roaming Consortium Selection Terms and Conditions Venue Information	WPA3™-Personal AKM 24 Beacon Protection	2024-10	
Protected Management Frames	WPA™-Enterprise)	
Spectrum & Regulatory	WPA™-Personal		
802.11d 802.11h	Wi-Fi Agile Multib	and™	



Certification ID: WFA133922



Role: Access Point Page 3 of 4

Wi-Fi Agile Multiband™ (continued)

Automatically populate BSS Transition candidate list

Cellular Data aware

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Wi-Fi CERTIFIED 7™ (continued)

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Multi-link reconfiguration - AP removal

Multi-RU

MU-RTS Trigger frame

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMC

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval





Certification ID: WFA133922

Role: Access Point	Page 4 of 4
Wi-Fi CERTIFIED™ ac (continued)	
STBC SU beamformer	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC	