

## DECLARATION OF PRODUCT

For  
**WEEE**

**Grandstream Networks, Inc.** is one of the Top developers and manufacturers of innovative, high quality and mass-affordable IP telephone and video products for broadband networks.

The EU Directive 2012/19/EU on “Waste Electrical and Electronic Equipment (WEEE)” became effective on 4<sup>th</sup> July 2012 instead of 2002/96/EC and request products shall meet:

1. Minimum targets applicable by category form 15 August 2018 with reference to the categories listed in Annex III:

(a) For WEEE falling within large equipment (any external dimension more than 50cm):

——85% shall be recovered, and

——80% shall be prepared for re-use and recycled.

(b) For WEEE falling within small equipment (external dimension no more than 50cm) including or small IT and telecommunication equipment (external dimension no more than 50cm):

——75% shall be recovered, and

——55% shall be prepared for re-use and recycled.

2. The symbol indicating separate collection for EEE consists of the crossed-out wheeled bin.

Here by GRANDSTREAM confirms that all our products meet all the requirements which comply with the European Union’s Directive 2012/19/EU.

Product Listed with following P/N, which the recycled rate has been listed in the Annex correspondingly:

Part number(s): GCC6011

Authorized Signatures:



Baicheng Fu  
Manager of QA & Production

2024-07-18

Date

**ANNEX 1: WEEE DATA for GCC6011**

|  |  |                                  |  |                   |                    |
|--|--|----------------------------------|--|-------------------|--------------------|
| Grandstream Networks, Inc.                       |  |                                  |  |                   |                    |
| Model Name: GCC6011<br>Created by: Xiuyong Luo   |  |                                  | Date: 2024-07-18<br>NO.: MDR-202407020 |                   |                    |
| GCC6011      Note: EURO Type Power Cord Packed   |  |                                  |  |                   |                    |
| Part Name  | Component/Material   | Recovery/<br>Recycling/<br>Reuse | Weight<br>(g)                          | Weight<br>percent | Recycle<br>percent |
| Main PCBA  | Printed circuit board(PCB)/LED Resistor/Capacitor/Inductor/Bead Crystal/Diode/Trans/Mosfet/TVS/ Integrated circuit(IC) etc./ | N                                | 139.04                                 | 7.44%             | 0.00%              |
| Lithium Rechargeable Battery                     | Lithium- Silicon composite oxide   | N                                | 0.25                                   | 0.01%             | 0.00%              |
| Connectors & Button and Transformer On Main PCBA | Plastic/Copper   | Y                                | 78.76                                  | 4.21%             | 4.21%              |
| Base Unit Assembled Case                         | Galvanized Steel /Plastic  | Y                                | 958.03                                 | 51.25%            | 51.25%             |
| Heatsink On Main PCBA                            | Aluminum Alloy   | Y                                | 34.62                                  | 1.85%             | 1.85%              |
| Rubber Foot                                      | Rubber   | Y                                | 2.51                                   | 0.13%             | 0.13%              |
| SFP Rubber                                       | Rubber   | Y                                | 5.64                                   | 0.30%             | 0.30%              |
| Screw  | Steel  | Y                                | 7.93                                   | 0.42%             | 0.42%              |
| Dupont Line for Power                            | Plastic/Copper   | Y                                | 7.88                                   | 0.42%             | 0.42%              |
| Support Bracket                                  | Steel  | Y                                | 184.76                                 | 9.88%             | 9.88%              |
| Accessories Earth Wire                           | Plastic/Copper   | Y                                | 10.72                                  | 0.57%             | 0.57%              |
| Accessories Screw                                | Steel  | Y                                | 3.21                                   | 0.17%             | 0.17%              |
| Plastic Bag                                      | Plastic  | Y                                | 8.53                                   | 0.46%             | 0.46%              |
| Inner Holder                                     | Paper  | Y                                | 100.48                                 | 5.37%             | 5.37%              |
| Manual   | Paper  | Y                                | 9.52                                   | 0.51%             | 0.51%              |

| Part Name             | Component/Material   | Recovery/<br>Recycling/<br>Reuse | Weight<br>(g) | Weight<br>percent | Recycle<br>percent |
|-----------------------|--|----------------------------------|---------------|-------------------|--------------------|
| Kraft Box             | Paper  | Y                                | 156.56        | 8.37%             | 8.37%              |
| PSU Case              | Plastic ABS  | Y                                | 57.88         | 3.10%             | 3.10%              |
| PSU Wire/Plug         | Plastic/Copper   | Y                                | 56.29         | 3.01%             | 3.01%              |
| PSU PCBA              | Printed circuit board(PCB)/<br>Resistor/Capacitor/Inductor/<br>Integrated circuit(IC) etc. | N                                | 46.79         | 2.50%             | 0.00%              |
| Recycle weight(g):    |  |                                  | 1683.32       |                   |                    |
| Unit total weight(g): |  |                                  | 1869.4        |                   |                    |
| Recycle percent:      |  |                                  | 90.05%        |                   |                    |