

**Grandstream Networks, Inc.** 126 Brookline Avenue -3<sup>rd</sup> Floor Boston, MA 02215 USA

www.grandstream.com Tel: +1-617-566-9300 Fax: +1-617-249-1987

## **DECLARATION OF PRODUCT**

## WEEE

**Grandstream Networks, Inc.** is one of the Top developers and manufacturers of innovative, high quality and mass-affordable IP telephone and video products for broadband networks.

The EU Directive 2012/19/EU on "Waste Electrical and Electronic Equipment (WEEE)" became effective on 4<sup>th</sup> July 2012 instead of 2002/96/EC and request products shall meet:

- 1. Minimum targets applicable by category form 15 August 2018 with reference to the categories listed in Annex III:

  (a) For WEEE falling within large equipment (any external dimension more than 50cm):
  - ——85% shall be recovered, and
  - ——80% shall be prepared for re-use and recycled.
- (b) For WEEE falling within small equipment (external dimension no more than 50cm) including or small IT and telecommunication equipment (external dimension no more than 50cm):
  - —75% shall be recovered, and

Senior director of QA & Production

- —55% shall be prepared for re-use and recycled.
- 2. The symbol indicating separate collection for EEE consists of the crossed-out wheeled bin.

Here by GRANDSTREAM confirms that all our products meet all the requirements which comply with the European Union's Directive 2012/19/EU.

Product Listed with following P/N, which the recycled rate has been listed in the Annex correspondingly:

**1 of 3** Agile P/N: 425-00148-00



**Grandstream Networks, Inc.** 126 Brookline Avenue -3<sup>rd</sup> Floor Boston, MA 02215 USA www.grandstream.com Tel: +1-617-566-9300 Fax: +1-617-249-1987

## **ANNEX 1: WEEE DATA for GRP2650**

**Grandstream Networks, Inc.** 

Model Name: GRP2650 Date: 2022-05-25
Created by: Xiuyong Luo NO.: MDR-202205002

GRP2650 Note: EURO Type PSU Packed

| GRP2650                                    | Note: EURO Type PSU Packed   |                                  |               |                |                 |  |  |
|--|--|----------------------------------|---------------|----------------|-----------------|--|--|
| Part Name                                  | Component/Material   | Recovery/<br>Recycling/<br>Reuse | Weight<br>(g) | Weight percent | Recycle percent |  |  |
| Main PCBA                                  | Printed circuit board(PCB)/ Resistor/<br>Capacitor/Inductor/Trans/Crystal/Diode<br>/TVS/Bead/Integrated circuit(IC) etc. | N                                | 52.72         | 3.24%          | 0.00%           |  |  |
| LCM  | LCD Glass /IC/FPC cable  | N                                | 50.31         | 3.09%          | 0.00%           |  |  |
| Microphone                                 | Aluminum case/Printed circuit board/Stannum  | N                                | 1.19          | 0.07%          | 0.00%           |  |  |
| Key PCBA                                   | Printed circuit board(PCB)/LED/<br>Connector/Integrated circuit(IC) etc.   | N                                | 58.93         | 3.62%          | 0.00%           |  |  |
| Connector &<br>Transformer on<br>Main PCBA | Plastic/Copper   | Υ                                | 25.61         | 1.57%          | 1.57%           |  |  |
| Handset<br>Plastic Case                    | Plastic /Rubber  | Y                                | 93.47         | 5.74%          | 5.74%           |  |  |
| Base Unit<br>Plastic Case                  | Plastic  | Y                                | 419.51        | 25.76%         | 25.76%          |  |  |
| Bracket                                    | Plastic  | Y                                | 69.5          | 4.27%          | 4.27%           |  |  |
| Key _Rubber                                | Rubber   | Υ                                | 40.01         | 2.46%          | 2.46%           |  |  |
| Speaker_<br>Rubber                         | Rubber   | Y                                | 5.71          | 0.35%          | 0.35%           |  |  |
| Screw                                      | Steel  | Y                                | 9.02          | 0.55%          | 0.55%           |  |  |
| Weight Iron                                | Iron   | Y                                | 88.01         | 5.40%          | 5.40%           |  |  |
| Speakerphone                               | Magnet/Steel/Copper  | Y                                | 61.97         | 3.80%          | 3.80%           |  |  |
| Cable Wire                                 | Plastic/Copper   | Υ                                | 82.72         | 5.08%          | 5.08%           |  |  |
| Plastic Bag                                | Plastic  | Υ                                | 13.84         | 0.85%          | 0.85%           |  |  |



**Grandstream Networks, Inc.** 126 Brookline Avenue -3<sup>rd</sup> Floor Boston, MA 02215 USA www.grandstream.com Tel: +1-617-566-9300 Fax: +1-617-249-1987

| Part Name             | Component/Material   | Recovery/<br>Recycling/<br>Reuse | Weight<br>(g) | Weight percent | Recycle percent |
|-----------------------|--|----------------------------------|---------------|----------------|-----------------|
| Manual                | Paper  | Υ                                | 28.83         | 1.77%          | 1.77%           |
| Inner Holder          | Paper  | Υ                                | 178.7         | 10.97%         | 10.97%          |
| Kraft Box             | Paper  | Y                                | 248.5         | 15.26%         | 15.26%          |
| PSU Case              | Plastic  | Υ                                | 26.53         | 1.63%          | 1.63%           |
| PSU Wire/Plug         | Plastic/Copper   | Υ                                | 47.85         | 2.94%          | 2.94%           |
| PSU PCBA              | Printed circuit board(PCB)/ Resistor/Capacitor/Inductor/ Integrated circuit(IC) etc. | N                                | 25.83         | 1.59%          | 0.00%           |
| Recycle weight(g):    |  |                                  | 1439.78       |                |                 |
| Unit total weight(g): |  |                                  | 1628.76       |                |                 |
| Recycle percent:      |  |                                  | 88.40%        |                |                 |

**3 of 3** Agile P/N: 425-00148-00