

## DECLARATION OF PRODUCT

For

### WEEE

**Grandstream Networks, Inc.** is one of the Top developers and manufacturers of innovative, high quality and mass-affordable IP telephone and video products for broadband networks.

The EU Directive 2012/19/EU on “Waste Electrical and Electronic Equipment (WEEE)” became effective on 4<sup>th</sup> July 2012 instead of 2002/96/EC and request products shall meet:

1. Minimum targets applicable by category form 15 August 2018 with reference to the categories listed in Annex III:

(a) For WEEE falling within large equipment (any external dimension more than 50cm):

——85% shall be recovered, and

——80% shall be prepared for re-use and recycled.

(b) For WEEE falling within small equipment (external dimension no more than 50cm) including or small IT and telecommunication equipment (external dimension no more than 50cm):

——75% shall be recovered, and

——55% shall be prepared for re-use and recycled.

2. The symbol indicating separate collection for EEE consists of the crossed-out wheeled bin.

Here by GRANDSTREAM confirms that all our products meet all the requirements which comply with the European Union’s Directive 2012/19/EU.

Product Listed with following P/N, which the recycled rate has been listed in the Annex correspondingly:

Part number(s): GWN7806PH Pro

Authorized Signatures:



Baicheng Fu  
Manager of QA & Production

2025-09-29

Date

**ANNEX 1: WEEE DATA for GWN7806PH Pro**

|                                                                            |                                                                                                                                      |                                   |                    |                   |                    |
|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|--------------------|-------------------|--------------------|
| Grandstream Networks, Inc.                                                 |                                                                                                                                      |                                   |                    |                   |                    |
| Model Name: GWN7806PH PRO                                                  |                                                                                                                                      |                                   | Date: 2025-09-29   |                   |                    |
| Created by: Xiuyong Luo                                                    |                                                                                                                                      |                                   | NO.: MDR-202509036 |                   |                    |
| GWN7806PH PRO                                                              |                                                                                                                                      | Note: EURO Type Power Cord Packed |                    |                   |                    |
| Part Name                                                                  | Component/Material                                                                                                                   | Recovery/<br>Recycling/<br>Reuse  | Weight<br>(g)      | Weight<br>percent | Recycle<br>percent |
| Main PCBA                                                                  | Printed circuit board (PCB)/<br>Resistor/Capacitor/Inductor/Bead<br>Crystal/Diode/Trans/TVS/Button<br>Integrated circuit (IC) etc./  | N                                 | 503.6              | 7.78%             | 0.00%              |
| PSE PCBA                                                                   | Printed circuit board (PCB)/<br>Resistor/Capacitor/Inductor/Bead<br>Crystal/Diode/Trans/Mosfet/TVS/<br>Integrated circuit (IC) etc./ | N                                 | 274.31             | 4.24%             | 0.00%              |
| Power PCBA                                                                 | Printed circuit board (PCB)/<br>Resistor/Capacitor/Inductor/Diode/<br>Mosfet/Connectors/Button/Integrated<br>circuit(IC) etc./       | N                                 | 107.55             | 1.66%             | 0.00%              |
| Connectors & and<br>Transformer On Main<br>PCBA                            | Plastic/Copper                                                                                                                       | Y                                 | 513.59             | 7.93%             | 7.93%              |
| Base Unit Assembled<br>Case                                                | Galvanized Sheets/Rubber                                                                                                             | Y                                 | 3051               | 47.12%            | 47.12%             |
| Heatsink On Power<br>PCBA                                                  | Aluminum Alloy                                                                                                                       | Y                                 | 59.44              | 0.92%             | 0.92%              |
| Transformer & Socket<br>Cable& Connector &<br>Capacitance on Power<br>PCBA | Plastic/Brass/Copper                                                                                                                 | Y                                 | 256.45             | 3.96%             | 3.96%              |
| PET Protective film &<br>AC Wire &Silicone<br>gasket On Power PCBA         | Plastic/Brass/Copper                                                                                                                 | Y                                 | 153.51             | 2.37%             | 2.37%              |

| Part Name                    | Component/Material | Recovery/<br>Recycling/<br>Reuse | Weight<br>(g)  | Weight<br>percent | Recycle<br>percent |
|------------------------------|--------------------|----------------------------------|----------------|-------------------|--------------------|
| Dupont Line                  | Plastic/Copper     | Y                                | 66.33          | 1.02%             | 1.02%              |
| Heatsink On Main PCBA        | Aluminum Alloy     | Y                                | 114.82         | 1.77%             | 1.77%              |
| Fan                          | Plastic/Copper     | Y                                | 60.01          | 0.93%             | 0.93%              |
| Screw                        | Steel              | Y                                | 24.22          | 0.37%             | 0.37%              |
| Support Bracket              | Steel              | Y                                | 76.86          | 1.19%             | 1.19%              |
| Power Cord                   | Plastic/Copper     | Y                                | 142.64         | 2.20%             | 2.20%              |
| Accessories Earth Wire       | Plastic/Copper     | Y                                | 10.91          | 0.17%             | 0.17%              |
| Accessories Screw& Foot      | Steel              | Y                                | 8.02           | 0.12%             | 0.12%              |
| Plastic Bag                  | Plastic            | Y                                | 34.66          | 0.54%             | 0.54%              |
| Inner Holder                 | EPE                | Y                                | 70.02          | 1.08%             | 1.08%              |
| Manual                       | Paper              | Y                                | 18.91          | 0.29%             | 0.29%              |
| Kraft Box                    | Paper              | Y                                | 928.18         | 14.33%            | 14.33%             |
| <b>Recycle weight(g):</b>    |                    |                                  | <b>5589.57</b> |                   |                    |
| <b>Unit total weight(g):</b> |                    |                                  | <b>6475.03</b> |                   |                    |
| <b>Recycle percent:</b>      |                    |                                  | <b>86.33%</b>  |                   |                    |