

Grandstream Networks, Inc. www.grandstream.com 126 Brookline Avenue -3rd Floor Boston, MA 02215 USA

Tel: +1-617-566-9300 Fax: +1-617-249-1987

DECLARATION OF PRODUCT WEEE

Grandstream Networks, Inc. is one of the Top developers and manufacturers of innovative, high quality and mass-affordable IP telephone and video products for broadband networks.

The EU Directive 2012/19/EU on "Waste Electrical and Electronic Equipment (WEEE)" became effective on 4th July 2012 instead of 2002/96/EC and request products shall meet:

1. Minimum targets applicable by category form 15 August 2018 with reference to the categories listed in Annex III:

- (a) For WEEE falling within large equipment (any external dimension more than 50cm):
 - --85% shall be recovered, and
 - ——80% shall be prepared for re-use and recycled.

(b) For WEEE falling within small equipment (external dimension no more than 50cm) including or small IT and telecommunication equipment (external dimension no more than 50cm):

- --75% shall be recovered, and
- -55% shall be prepared for re-use and recycled.

2. The symbol indicating separate collection for EEE consists of the crossed-out wheeled bin.

Here by GRANDSTREAM confirms that all our products meet all the requirements which comply with the European Union's Directive 2012/19/EU.

Product Listed with following P/N, which the recycled rate has been listed in the Annex correspondingly:

Part number(s): GXP1610

Authorized Signatures:

Baichong tu

Baicheng Fu Manager of QA & Production

2025-03-12 Date

1 of 3

Agile P/N: 425-00007-01



www.grandstream.com Tel: +1-617-566-9300 Fax: +1-617-249-1987

ANNEX 1: WEEE DATA for GXP1610

Grandstream Networks, Inc.

Model Name: GXP1610

Created by: Xiuyong Luo

Date: 2025-03-12 NO.: MDR-202503009

GXP1610	Note: EURO Type PSU Packed				
Part Name	Component/Material	Recovery/ Recycling/ Reuse	Weight (g)	Weight percent	Recycle percent
Main PCBA	Printed circuit board(PCB)/ Resistor/ Capacitor/Inductor/Trans/Crystal/LED/ TVS/Bead//Transformer/Connector/ Switch/Integrated circuit(IC) etc.	N	68.80	6.37%	0.00%
LCM	LCD Glass /IC/FPC cable	N	13.87	1.28%	0.00%
Keyboard PCB	Printed circuit boards(PCB)/ LED/Connector/	N	35.90	3.33%	0.00%
Microphone	Aluminium case/Printed circuit board/Stannum	N	1.39	0.13%	0.00%
Handset Plastic Case	Plastic ABS	Y	108.80	10.08%	10.08%
Base Unit Plastic Case	Plastic ABS	Y	325.56	30.15%	30.15%
Keypad _Rubber	Rubber	Y	17.35	1.61%	1.61%
Screw	Steel	Y	8.21	0.76%	0.76%
Weight Iron	Iron	Y	85.10	7.88%	7.88%
Speakerphone	Magnet/Steel/Copper	Y	56.60	5.24%	5.24%
Cable Wire	Plastic/Copper	Y	78.78	7.30%	7.30%
Plastic Bag	Plastic PE	Y	7.30	0.68%	0.68%
Inner Holder	Paper	Y	45.28	4.19%	4.19%
Manual	Paper	Y	32.60	3.02%	3.02%



Fax: +1-617-249-1987

Part Name	Component/Material	Recovery/ Recycling/ Reuse	Weight (g)	Weight percent	Recycle percent
Gift Box	Paper	Y	130.50	12.09%	12.09%
PSU Case	Plastic ABS	Y	15.51	1.44%	1.44%
PSU Wire/Plug	Plastic/Copper	Y	27.78	2.57%	2.57%
PSU PCBA	Printed circuit board(PCB)/ Resistor/Capacitor/Inductor/ Integrated circuit(IC) etc.	Ν	20.32	1.88%	0.00%
	Recycle weight(g):			939.37	
Unit total weight(g):			1079.65		
	Recycle percent:			87.01%	

3 of 3

Agile P/N:

425-00007-01



Grandstream Networks, Inc. | www.grandstream.com 126 Brookline Avenue -3rd Floor Boston, MA 02215 USA

Tel: +1-617-566-9300 Fax: +1-617-249-1987

DECLARATION OF PRODUCT WEEE

Grandstream Networks, Inc. is one of the Top developers and manufacturers of innovative, high quality and mass-affordable IP telephone and video products for broadband networks.

The EU Directive 2012/19/EU on "Waste Electrical and Electronic Equipment (WEEE)" became effective on 4th July 2012 instead of 2002/96/EC and request products shall meet:

1. Minimum targets applicable by category form 15 August 2018 with reference to the categories listed in Annex III:

(a) For WEEE falling within large equipment (any external dimension more than 50cm):

--85% shall be recovered, and

——80% shall be prepared for re-use and recycled.

(b) For WEEE falling within small equipment (external dimension no more than 50cm) including or small IT and telecommunication equipment (external dimension no more than 50cm):

--75% shall be recovered, and

-55% shall be prepared for re-use and recycled.

2. The symbol indicating separate collection for EEE consists of the crossed-out wheeled bin.

Here by GRANDSTREAM confirms that all our products meet all the requirements which comply with the European Union's Directive 2012/19/EU.

Product Listed with following P/N, which the recycled rate has been listed in the Annex correspondingly:

Part number(s): GXP1615

Authorized Signatures:

Baichong tu

Baicheng Fu Manager of QA & Production

2025-03-11 Date

Agile P/N: 425-00038-01



www.grandstream.com Tel: +1-617-566-9300 Fax: +1-617-249-1987

ANNEX 1: WEEE DATA for GXP1615

Grandstream Networks, Inc.

Model Name: GXP1615

Created by: Xiuyong Luo

Date: 2025-03-12 NO.: MDR-202503009

GXP1615	Note: EURO Type PSU Packed				
Part Name	Component/Material	Recovery/ Recycling/ Reuse	Weight (g)	Weight percent	Recycle percent
Main PCBA	Printed circuit board(PCB)/ Resistor/ Capacitor/Inductor/Trans/Crystal/LED/ TVS/Bead//Transformer/Connector/ Switch/Integrated circuit(IC) etc.	N	68.80	6.37%	0.00%
LCM	LCD Glass /IC/FPC cable	N	13.87	1.28%	0.00%
Keyboard PCB	Printed circuit boards(PCB)/ LED/Connector/	N	35.90	3.33%	0.00%
Microphone	Aluminium case/Printed circuit board/Stannum	N	1.39	0.13%	0.00%
Handset Plastic Case	Plastic ABS	Y	108.80	10.08%	10.08%
Base Unit Plastic Case	Plastic ABS	Y	325.56	30.15%	3.15%
Keypad _Rubber	Rubber	Y	17.35	1.61%	1.61%
Screw	Steel	Y	8.21	0.76%	0.76%
Weight Iron	Iron	Y	85.10	7.88%	7.88%
Speakerphone	Magnet/Steel/Copper	Y	56.60	5.24%	5.24%
Cable Wire	Plastic/Copper	Y	78.78	7.30%	7.30%
Plastic Bag	Plastic PE	Y	7.30	0.68%	0.68%
Inner Holder	Paper	Y	45.28	4.19%	4.19%
Manual	Paper	Y	32.60	3.02%	3.02%



Fax: +1-617-249-1987

Part Name	Component/Material	Recovery/ Recycling/ Reuse	Weight (g)	Weight percent	Recycle percent
Gift Box	Paper	Y	130.50	12.09%	12.09%
PSU Case	Plastic ABS	Y	15.51	1.44%	1.44%
PSU Wire/Plug	Plastic/Copper	Y	27.78	2.57%	2.57%
PSU PCBA	Printed circuit board(PCB)/ Resistor/Capacitor/Inductor/ Integrated circuit(IC) etc.	Ν	20.32	1.88%	0.00%
	Recycle weight(g):			939.37	
Unit total weight(g):			1079.65		
	Recycle percent:			87.01%	

3 of 3

Agile P/N:

425-00038-01



Grandstream Networks, Inc. | www.grandstream.com 126 Brookline Avenue -3rd Floor Boston, MA 02215 USA

Tel: +1-617-566-9300 Fax: +1-617-249-1987

DECLARATION OF PRODUCT WEEE

Grandstream Networks, Inc. is one of the Top developers and manufacturers of innovative, high quality and mass-affordable IP telephone and video products for broadband networks.

The EU Directive 2012/19/EU on "Waste Electrical and Electronic Equipment (WEEE)" became effective on 4th July 2012 instead of 2002/96/EC and request products shall meet:

1. Minimum targets applicable by category form 15 August 2018 with reference to the categories listed in Annex III:

(a) For WEEE falling within large equipment (any external dimension more than 50cm):

--85% shall be recovered, and

——80% shall be prepared for re-use and recycled.

(b) For WEEE falling within small equipment (external dimension no more than 50cm) including or small IT and telecommunication equipment (external dimension no more than 50cm):

--75% shall be recovered, and

-55% shall be prepared for re-use and recycled.

2. The symbol indicating separate collection for EEE consists of the crossed-out wheeled bin.

Here by GRANDSTREAM confirms that all our products meet all the requirements which comply with the European Union's Directive 2012/19/EU.

Product Listed with following P/N, which the recycled rate has been listed in the Annex correspondingly:

Part number(s): GXP1620

Authorized Signatures:

Baichong tu

Baicheng Fu Manager of QA & Production

2025-03-12 Date

Agile P/N: 425-00002-01



www.grandstream.com Tel: +1-617-566-9300 Fax: +1-617-249-1987

ANNEX 1: WEEE DATA for GXP1620

Grandstream Networks, Inc.

Model Name: GXP1620

Created by: Xiuyong Luo

Date: 2025-03-11

NO.: MDR-202503011

GXP1620	Note: EURO Type PSU Packed				
Part Name	Component/Material	Recovery/ Recycling/ Reuse	Weight (g)	Weight percent	Recycle percent
Main PCBA	Printed circuit board(PCB)/ Resistor/ Capacitor/Inductor/Trans/Crystal/LED/ TVS/Bead//Transformer/Connector/ Switch/Integrated circuit(IC) etc.	Ν	68.80	6.34%	0.00%
LCM	LCD Glass /IC/FPC cable	N	21.55	1.99%	0.00%
Keyboard PCB	Printed circuit boards(PCB)/Resistor/ LED/Connector/Switch	N	31.46	2.90%	0.00%
Microphone	Aluminium case/Printed circuit board/Stannum	N	1.37	0.13%	0.00%
Handset Plastic Case	Plastic ABS	Y	108.80	10.03%	10.03%
Base Unit Plastic Case	Plastic ABS	Y	310.89	28.67%	28.67%
Keypad Rubber	Rubber	Y	17.35	1.60%	1.60%
Screw	Steel	Y	8.21	0.76%	0.76%
Weight Iron	Iron	Y	85.00	7.84%	7.84%
Speakerphone	Magnet/Steel/Copper	Y	55.90	5.15%	5.15%
Cable Wire	Plastic/Copper	Y	84.80	7.82%	7.82%
Plastic Bag	Plastic PE	Y	7.30	0.67%	0.67%
Inner Holder	Paper	Y	45.28	4.18%	4.18%
Manual	Paper	Y	32.60	3.01%	3.01%



Fax: +1-617-249-1987

Part Name	Component/Material	Recovery/ Recycling/ Reuse	Weight (g)	Weight percent	Recycle percent
Gift Box	Paper	Y	141.50	13.05%	13.05%
PSU Case	Plastic ABS	Y	15.51	1.43%	1.43%
PSU Wire/Plug	Plastic/Copper	Y	27.78	2.56%	2.56%
PSU PCBA	Printed circuit board(PCB)/ Resistor/Capacitor/Inductor/ Integrated circuit(IC) etc.	N	20.32	1.87%	0.00%
	Recycle weight(g):			940.92	
Unit total weight(g):				1084.42	
	Recycle percent:			86.77%	

Agile P/N:

425-00002-01



Grandstream Networks, Inc. | www.grandstream.com 126 Brookline Avenue -3rd Floor Boston, MA 02215 USA

Tel: +1-617-566-9300 Fax: +1-617-249-1987

DECLARATION OF PRODUCT WEEE

Grandstream Networks, Inc. is one of the Top developers and manufacturers of innovative, high quality and mass-affordable IP telephone and video products for broadband networks.

The EU Directive 2012/19/EU on "Waste Electrical and Electronic Equipment (WEEE)" became effective on 4th July 2012 instead of 2002/96/EC and request products shall meet:

1. Minimum targets applicable by category form 15 August 2018 with reference to the categories listed in Annex III:

(a) For WEEE falling within large equipment (any external dimension more than 50cm):

--85% shall be recovered, and

——80% shall be prepared for re-use and recycled.

(b) For WEEE falling within small equipment (external dimension no more than 50cm) including or small IT and telecommunication equipment (external dimension no more than 50cm):

--75% shall be recovered, and

-55% shall be prepared for re-use and recycled.

2. The symbol indicating separate collection for EEE consists of the crossed-out wheeled bin.

Here by GRANDSTREAM confirms that all our products meet all the requirements which comply with the European Union's Directive 2012/19/EU.

Product Listed with following P/N, which the recycled rate has been listed in the Annex correspondingly:

Part number(s): GXP1625

Authorized Signatures:

Baichong tu

Baicheng Fu Manager of QA & Production

2025-03-12 Date

Agile P/N: 425-00003-01



www.grandstream.com Tel: +1-617-566-9300 Fax: +1-617-249-1987

ANNEX 1: WEEE DATA for GXP1625

Grandstream Networks, Inc.

Model Name: GXP1625

Created by: Xiuyong Luo

Date: 2025-03-12 NO.: MDR-202503012

GXP1625	Note: EURO Type PSU Packed				
Part Name	Component/Material	Recovery/ Recycling/ Reuse	Weight (g)	Weight percent	Recycle percent
Main PCBA	Printed circuit board(PCB)/ Resistor/ Capacitor/Inductor/Trans/Crystal/LED/ TVS/Bead//Transformer/Connector/ Switch/Integrated circuit(IC) etc.	N	68.80	6.34%	0.00%
LCM	LCD Glass /IC/FPC cable	N	21.55	1.99%	0.00%
Keyboard PCB	Printed circuit boards(PCB)/Resistor/ LED/Connector/Switch	N	31.46	2.90%	0.00%
Microphone	Aluminium case/Printed circuit board/Stannum	N	1.37	0.13%	0.00%
Handset Plastic Case	Plastic ABS	Y	108.80	10.03%	10.03%
Base Unit Plastic Case	Plastic ABS	Y	310.89	28.67%	28.67%
Keypad Rubber	Rubber	Y	17.35	1.60%	1.60%
Screw	Steel	Y	8.21	0.76%	0.76%
Weight Iron	Iron	Y	85.00	7.84%	7.84%
Speakerphone	Magnet/Steel/Copper	Y	55.90	5.15%	5.15%
Cable Wire	Plastic/Copper	Y	84.80	7.82%	7.82%
Plastic Bag	Plastic PE	Y	7.30	0.67%	0.67%
Inner Holder	Paper	Y	45.28	4.18%	4.18%
Manual	Paper	Y	32.60	3.01%	3.01%

Agile P/N: 425-00003-01



Fax: +1-617-249-1987

Part Name	Component/Material	Recovery/ Recycling/ Reuse	Weight (g)	Weight percent	Recycle percent
Gift Box	Paper	Y	141.50	13.05%	13.05%
PSU Case	Plastic ABS	Y	15.51	1.43%	1.43%
PSU Wire/Plug	Plastic/Copper	Y	27.78	2.56%	2.56%
PSU PCBA	Printed circuit board(PCB)/ Resistor/Capacitor/Inductor/ Integrated circuit(IC) etc.	N	20.32	1.87%	0.00%
	Recycle weight(g):			940.92	
Unit total weight(g):			1084.42		
	Recycle percent:			86.77%	

3 of 3

Agile P/N:

425-00003-01