



Grandstream Networks, Inc.

GXP2130/GXP2140/GXP2160

XML Phonebook Guide



GXP2130/GXP2140/GXP2160

XML Based Downloadable Phone Book Guide

Index

INTRODUCTION	2
WHAT IS XML	2
WHY XML	2
XML API ARCHITECTURE	2
XML PHONEBOOK CONFIGURATION	4
FIRMWARE.....	4
WEB CONFIGURATION.....	4
LCD CONFIGURATION.....	6
PROVISIONING.....	8
XML PHONEBOOK SYNTAX.....	9
HEADER	9
PHONEBOOK XML STRUCTURE	9
PHONEBOOK XML ELEMENT	11
<i>ROOT ELEMENT</i> <AddressBook>.....	11
<pbgroup> <i>ELEMENT</i>	11
<Contact> <i>ELEMENT</i>	12
<Phone> <i>ELEMENT</i>	12
XML PHONEBOOK EXAMPLE.....	13

Table of Figures
GXP2130/GXP2140/GXP2160 XML Based Downloadable Phone Book Guide

Figure 1: GXP2130/GXP2140/GXP2160 XML API via HTTP	3
Figure 2: GXP2130/GXP2140/GXP2160 XML API Structure 1	3
Figure 3: GXP2130/GXP2140/GXP2160 XML API Structure 2	4
Figure 4: Web Configuration	5
Figure 5: Contacts->Local Phonebook.....	7
Figure 6: XML Phone Book Download Soft Key	7
Figure 7: Confirm to start XML Phone Book Downloading	8

Table of Tables
GXP2130/GXP2140/GXP2160 XML Based Downloadable Phone Book Guide

Table 1: <AddressBook> Element.....	11
Table 2: <pbgroup> Element.....	11
Table 3: <Contact> Element.....	12
Table 4: <Phone> Element.....	13

INTRODUCTION

The Grandstream GXP2130/GXP2140/GXP2160 support XML based downloadable phone book for users to share and maintain a phone book remotely easily.

For the ease of efficient deployment and management, the XML phone book file could be stored on a web server for the phones to download. There are also applications that require a centralized directory server and have all phones synchronized with the server periodically.

This document specifies the Grandstream XML based downloadable phone book configuration that will be applied to GXP2130/GXP2140/GXP2160 firmware version 1.0.0.17 or newer. An example XML phone book file is provided at the end of this guide. Users could start a phone book by adding contacts to the example file or exporting the existed phone book file from phone's LCD.

WHAT IS XML

XML (eXtensible Markup Language) is a markup language* for documents and applications containing structured information. This information contains both content (text, pictures, input box and etc.) and an indication of what role that content plays (e.g. contents in a section header are different from contents in a footnote). Almost all documents are structured.

*A markup language is a mechanism to identify structures in a document. The XML specification defines a standard way to add markup to documents.

WHY XML

What benefits does XML provide to SIP endpoints? XML enables our SIP phones to serve as output devices and allows the phones to interact with external applications in a flexible and programmable manner.

XML API ARCHITECTURE

The XML based phone book downloading for the GXP2130/GXP2140/GXP2160 could use HTTP or TFTP as the transport protocol. The following figure shows how it works via HTTP as an example. First, the GXP2130/GXP2140/GXP2160 initiates the HTTP GET Request to the HTTP server and waits for the response. Once the phone receives the response with XML content in BODY, it displays the information.




Figure 1: GXP2130/GXP2140/GXP2160 XML API via HTTP

Two types of XML API architecture are introduced below, depending on whether the transaction is via LAN or Internet.

1. A transaction in the LAN may exchange information in the following manner. The GXP2130/GXP2140/GXP2160 sends a request to the web server via HTTP/TFTP and waits for a response with the XML contents. The web server will handle the request and communicate with the application server to get the information for the XML phone book content display. The following figure shows downloading XML phone book file via HTTP within a LAN.




Figure 2: GXP2130/GXP2140/GXP2160 XML API Structure 1

2. If the above Web Server accesses Internet, it could interact with outside web server and respond with real-time content to the GXP2130/GXP2140/GXP2160.




Figure 3: GXP2130/GXP2140/GXP2160 XML API Structure 2

As illustrated above, all the logic lies within the server side of the architecture. The GXP2130/GXP2140/GXP2160 phone just receives the XML documents and displays it accordingly.

XML PHONEBOOK CONFIGURATION

FIRMWARE

Before the XML phone book is used on GXP2130/GXP2140/GXP2160, please make sure the firmware on the phone is upgraded to the latest version. Please refer to the following link for firmware upgrading information:

<http://www.grandstream.com/support/firmware>

WEB CONFIGURATION

User could configure phonebook download options by enter phone's IP on web browser and go to **Phonebook->Phonebook Management**.

Phonebook

Contacts

Group Management

Phonebook Management

LDAP

Broadsoft

Phonebook Management

Enable Phonebook XML Download Enabled, use HTTP ▾

Phonebook XML Server Path 192.168.40.10/XMLphone

Phonebook Download Interval 0

Remove Manually-edited Entries on Download No Yes

Download XML Phonebook [Download](#)

Upload XML Phonebook [Upload](#)

Phonebook Key Function Default ▾

[Save](#) [Save and Apply](#) [Reset](#)

Copyright © Grandstream Networks, Inc. 2014. All Rights Reserved.

Figure 4: Web Configuration

- **Enable Phonebook XML Download**

The phone book XML file could be downloaded via HTTP or TFTP. Users could also set the option “Enable Phonebook XML Download” to “Disabled” to disable phone book download.

- **XML Server Path**

This specifies the path where the phone is going to download the XML phone book file. Since download method is already specified in the previous selection, users do not have to provide this information in the server path. The accepted formats are as follows:

IP_address[:port]/dir

Hostname[:port]/dir

Examples:

192.168.40.10/XMLphonebookdir

192.168.40.10:443/XMLphonebookdir

service.mycompany.com/XML/phonebook

mycompany.com:8080/phonebook

Note:

1. If “[:port]” is not specified, port 80 will be used as default for HTTP and Port 69 will be used as default for TFTP;
2. The GXP2130/GXP2140/GXP2160 will always look for the phone book file ***phonebook.xml*** for downloading if no file name is specified in the server path.

- **Phonebook Download Interval**

This option specifies the phone book automatic download interval (in minutes). The valid value is 5 - 720. If it's set to 0, automatic download will be disabled.

- **Remove Manually-edited Entries on Download**

If this option is set to "Yes", when XML phonebook is downloaded, the manually-edited entries will be deleted.


- **Download XML Phonebook**

Click on [Download](#) button to download the XML phonebook from GXP2130/GXP2140/GXP2160 to local PC. When the phonebook of GXP2130/GXP2140/GXP2160 is empty, the downloaded XML phonebook will be in below format:

```
<?xml version="1.0" encoding="UTF-8"?>
<AddressBook>
<version>1</version>
</AddressBook>
```

- **Upload XML Phonebook**

GXP2130/GXP2140/GXP2160 also support uploading XML phonebook from local PC.

Click on the  button to choose XML file and upload.

- **Phonebook Key Function**

This option controls the behavior of Phonebook Key. By default, Phonebook Key is the short cut to enter the contacts sub menu. With this option, user can configure the Phonebook Key as LDAP Search, Local Phonebook, Local Group or Broadsoft Phonebook.

LCD CONFIGURATION

To download the XML phone book file to GXP2130/GXP2140/GXP2160, go to LCD Menu-> **Contacts**-> **Local Phonebook** and press **Download** soft key to start downloading XML Phone Book.




Figure 5: Contacts->Local Phonebook




Figure 6: XML Phone Book Download Soft Key




Figure 7: Confirm to start XML Phone Book Downloading

PROVISIONING

Users may also use the config file to provision the phone with the above XML phone book downloading options. In this case, the GXP2130/GXP2140/GXP2160 needs to be rebooted and provisioned. The corresponding P values are as shown below.

- **P330:** Enable Phonebook XML Download. Possible values: 1 (HTTP) / 2 (TFTP) / 3 (HTTPS); other values are ignored. The default value is 0.
- **P331:** Phonebook XML Server Path. This is a string for the path to download the phonebook.xml file. It MUST be in the host/path format.
- **P332:** Phonebook Download Interval (in minutes). Valid range: 5 - 720; other values are ignored. The default value is 0 (automatic download disabled).
- **P333:** Remove Manually-edited Entries on Download. Possible values: 0 (No) / 1 (Yes). The default value is 1.
- **P1526:** Phonebook Key Function. Possible values: 0 (Disable) / 1 (LDAP Search) / 2 (Local Phonebook) / 3 (Local Group) / 4 (Broadsoft Phonebook); other values are ignored. The default value is 0.

The phone will be set up with the P values when the provisioning routine is completed. It will attempt to download the phone book XML file specified in "Download Server" with configured interval and process it. If the "Interval" is set to a non-zero value, a recurring timer will be activated periodically to check the phone book file in the server and the phone will repeat this process automatically.

Note:

1. As you may know, it is also possible to enter the XML phone book file server path into a web browser. In this way you'll be able to see the exact XML document on your PC that your phone will be receiving.

XML PHONEBOOK SYNTAX


HEADER

In the first line of the XML document, the following header can be set as XML declaration. It defines the XML version and encoding. On the GXP2130/GXP2140/GXP2160, UTF-8 and GBK can be used as encoding method for correct display. Example:

```
<?xml version="1.0" encoding="UTF-8"?>
```

PHONEBOOK XML STRUCTURE

An XML phone book example for GXP2130/GXP2140/GXP2160 can be found in the last section of this document. The main structure is represented as below.



```
<AddressBook>
  <version>Enter version number here. Usually 1</version>
  <pbgroup>
    <id>Enter group id here</id>
    <name>Enter group name here</name>
  </pbgroup>
  <pbgroup>
    <!-- Enter another group information here, same format as above -->
  </pbgroup>
  <Contact>
    <FirstName>Enter first name here</FirstName>
    <LastName>Enter last name here</LastName>
    <Frequent>Favorite contact or not</Frequent>
    <Phone type="Specify phone type here">
      <phonenumber>Enter phone number here</phonenumber>
      <accountindex>Enter account index here</accountindex>
    </Phone>
    <Department>Enter department name here</Department>
    <Group>Enter group ID here</Group>
  </Contact>
  <Contact>
    <!-- Enter another contact information here, same format as above -->
  </Contact>
</AddressBook>
```

PHONEBOOK XML ELEMENT

This section describes details of the XML element used in GXP2130/GXP2140/GXP2160 XML phone book file. Please note that the element name is case-sensitive when being used in XML document.

ROOT ELEMENT <AddressBook>

<AddressBook> is the root element of the XML document. This element is mandatory.

```
<AddressBook>
  <!-- Enter phone book information here -->
</AddressBook>
```

Table 1: <AddressBook> Element

Object	Position	Type	Values	Comments
AddressBook	Root element	Mandatory	-	Root element of the XML document
version	Child element	Optional	Number	XML format version number. Usually 1.
pbgroup	Child element	Optional	-	Define groups.
Contact	Child element	Mandatory	-	Each contact is a phone book entry.

<pbgroup> ELEMENT

```
<pbgroup>
  <id>Enter group id here</id>
  <name>Enter group name here</name>
</pbgroup>
```

Table 2: <pbgroup> Element

Object	Position	Type	Values	Comments
pbgroup	Element	Optional	-	Each pbgroup is a group. More than 1 group can be defined
id	Child element	Optional	Number	To specify group ID.
name	Child element	Mandatory	String	Group name.

<Contact> ELEMENT

```

<Contact>
  <FirstName>Enter first name here</FirstName>
  <LastName>Enter last name here</LastName>
  <Frequent>Favorite contact or not</Frequent>
  <Phone type="Specify phone type here">
    <phonenumber>Enter phone number here</phonenumber>
    <accountindex>Enter account index here</accountindex>
  </Phone>
  <Department>Enter department name here</ Department >
  <Group>Enter group ID here</Group>
</Contact>

```

Table 3: <Contact> Element

Object	Position	Type	Values	Comments
Contact	Element	Mandatory	-	Each contact is an entry
FirstName	Child element	Optional	String	Specify first name and last name. At least one of them has to be specified.
LastName	Child element	Optional	String	
Frequent	Child element	Optional	Number	0: Default 1: Mark this contact as frequent/favorite
Phone	Child element	Optional	-	Phone number information
Department	Child element	Optional	String	Specify Department name.
Group	Child element	Optional	number	Specify group ID for this contact.

<Phone> ELEMENT

```

<Phone type="Specify phone type here">
  <phonenumber>Enter phone number here</phonenumber>
  <accountindex>Enter account index here</accountindex>
</Phone>

```

Note:

The possible values for <Phone> type are "Work", "Home" and "Mobile".

Table 4: <Phone> Element

Object	Position	Type	Values	Comments
Phone	Element	Mandatory	-	It has attribute "type". type: Work/Home/Mobile/Fax/Other
phonenumber	Child element	Mandatory	Number	Phone number
accountindex	Child element	Mandatory	Number	From 0 to 5 for account 1 to account 6

XML PHONEBOOK EXAMPLE

```
<?xml version="1.0" encoding="UTF-8"?>
<AddressBook>
  <version>1</version>
  <pbgroup>
    <id>1</id>
    <name>Blacklist</name>
  </pbgroup>
  <pbgroup>
    <id>2</id>
    <name>Work</name>
  </pbgroup>
  <pbgroup>
    <id>3</id>
    <name>Friend</name>
  </pbgroup>
  <Contact>
    <FirstName>John</FirstName>
    <LastName>Doe</LastName>
    <Frequent>0</Frequent>
    <Phone type="Work">
      <phonenumber>8001</phonenumber>
      <accountindex>1</accountindex>
    </Phone>
    <Phone type="Home">
      <phonenumber>3000001</phonenumber>
      <accountindex>0</accountindex>
    </Phone>
  </Contact>
</AddressBook>
```

```
<Phone type="Mobile">
  <phonenumber>1234567890</phonenumber>
  <accountindex>0</accountindex>
</Phone>
<Department>Marketing</Department>
<Group>1</Group>
</Contact>
<Contact>
  <FirstName>Michael</FirstName>
  <LastName>Tsai</LastName>
  <Frequent>0</Frequent>
  <Phone type="Work">
    <phonenumber>8002</phonenumber>
    <accountindex>1</accountindex>
  </Phone>
  <Phone type="Home">
    <phonenumber>3000002</phonenumber>
    <accountindex>0</accountindex>
  </Phone>
  <Phone type="Mobile">
    <phonenumber>1234567889</phonenumber>
    <accountindex>0</accountindex>
  </Phone>
  <Department>Sales</Department>
  <Group>2</Group>
</Contact>
<Contact>
  <FirstName>Alex</FirstName>
  <LastName>Smith</LastName>
  <Frequent>1</Frequent>
  <Phone type="Work">
    <phonenumber>8003</phonenumber>
    <accountindex>0</accountindex>
  </Phone>
  <Phone type="Home">
    <phonenumber>3000002</phonenumber>
    <accountindex>0</accountindex>
  </Phone>
  <Phone type="Mobile">
    <phonenumber>2345678888</phonenumber>
```



```
<accountindex>0</accountindex>  
</Phone>  
<Department/>  
<Group>3</Group>  
</Contact>  
</AddressBook>
```

Note:

The maximum number of contacts supported on GXP2130/GXP2140/GXP2160 is 2000.